EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(select$6 or multiplex$6 or MUX$2) with (vector near4 (input$1 or data)) with (register near4 files)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/19 10:07
L2	8	(select$6 or multiplex$6 or MUX$2) with (vector near4 register near4 files) with (arithmetic or logic or execution or ALU$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/19 10:30
L3	128	(select$6 or multiplex$6 or MUX$2) with (vector near4 registers) with (arithmetic or logic or execution or ALU$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/19 10:31
L4	18	((select$6 or multiplex$6 or MUX$2) with (vector near4 (input$1 or data))) same (register near4 files)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/19 11:11
L5	32	((select$6 or multiplex$6 or MUX$2) with (vector with (input $1 or data))) same (register near4 files)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/19 11:17

L6	8	((select$6 or multiplex$6 or MUX$2) with (vector near4 register near4 files)) same (arithmetic or logic or execution or ALU$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/19 11:19
L7	12	((select$6 or multiplex$6 or MUX$2) same (vector near4 register near4 files)) same (arithmetic or logic or execution or ALU$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/19 11:19
L8	21	((select$6 or multiplex$6 or MUX$2) same (vector with (register near4 files))) same (arithmetic or logic or execution or ALU$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/19 11:20
S1	192	(712/4).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 13:55
S2	1	(three near4 operands) with (select$3) with (register$1 near4 files)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 13:59
S3	5	(three adj1 operands) same ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:00
S4	9	(three adj1 operands) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:08

S5	24	(three near4 operands) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:10
S6	31	(three with operands) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:14
S7	0	(fetch$3 near4 (vector near4 operands) with simultaneous$2) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:20
S8	0	((vector near4 operands) with simultaneous$2) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:20
S9	2	((vector with operands) with simultaneous$2) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:21
S10	37	(DOCKSER-KENNETH$).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/08 14:24
S11	1	("6058465").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/12 20:22
S12	1	("5838984").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/10/12 20:33
S13	196	(712/4).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/14 14:23

S14	1	(three near4 operands) with (select$3) with (register$1 near4 files)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/14 14:23
S15	39	(DOCKSER-KENNETH$).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/14 14:23
S16	5	(three adj1 operands) same ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/14 14:23
S17	1	(three near4 operands) with (select$3) with (register$1 near4 files)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/14 14:23
S18	10	(three adj1 operands) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/14 14:25
S19	26	(three near4 operands) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/14 14:25
S20	33	(three with operands) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/14 14:25
S21	0	(fetch$3 near4 (vector near4 operands) with simultaneous$2) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/14 14:25
S22	0	((vector near4 operands) with simultaneous$2) and ((select$3) with (register$1 near4 files))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/04/14 14:26

| S23 | 2 | ((vector with operands) with simultaneous$2) and ((select$3) with (register$1 near4 files)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | | OFF | 2010/04/14 14:26 |

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	33	(DOCKSER-KENNETH$).in.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:34
L12	4	(712/4).CCLS.	UPAD	OR	OFF	2010/04/19 11:35
L13	0	((three near4 operands) with (select$3) with (register$1 near4 files)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41
L14	0	((three adj1 operands) same ((select$3) with (register$1 near4 files))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41
L15	0	((three near4 operands) with (select$3) with ((register$1 near4 files)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41
L16	0	((three adj1 operands) and ((select$3) with (register$1 near4 files))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41
L17	2	((three near4 operands) and ((select$3) with (register$1 near4 files))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41
L18	2	((three with operands) and ((select$3) with (register$1 near4 files))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41

L19	0	(((fetch$3 near4 (vector near4 operands) with simultaneous$2) and ((select$3) with (register$1 near4 files))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41
L20	0	((((vector near4 operands) with simultaneous$2) and ((select$3) with (register$1 near4 files))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41
L21	0	((((vector with operands) with simultaneous$2) and ((select$3) with (register$1 near4 files))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41
L22	6	(((select$6 or multiplex$6 or MUX$2) with (vector near4 (input$1 or data)) with (register near4 files)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41
L23	0	(((select$6 or multiplex$6 or MUX$2) with (vector near4 register near4 files) with (arithmetic or logic or execution or ALU$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:41
L24	31	(((select$6 or multiplex$6 or MUX$2) with (vector near4 registers) with (arithmetic or logic or execution or ALU$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:42
L25	6	((((select$6 or multiplex$6 or MUX$2) with (vector near4 (input$1 or data))) same (register near4 files)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:42

L26	7	(((select$6 or multiplex$6 or MUX$2) with (vector with (input$1 or data))) same (register near4 files)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:42
L27	0	(((select$6 or multiplex$6 or MUX$2) with (vector near4 register near4 files)) same (arithmetic or logic or execution or ALU$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:42
L28	0	(((select$6 or multiplex$6 or MUX$2) same (vector near4 register near4 files)) same (arithmetic or logic or execution or ALU$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:42
L29	1	(((select$6 or multiplex$6 or MUX$2) same (vector with (register near4 files))) same (arithmetic or logic or execution or ALU$1)).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/19 11:42

4/19/10 11:44:42 AM
C:\ Documents and Settings\ ALi\ My Documents\ EAST\ Workspaces\ 10699571.wsp